



Publications - DFG-funded Collaborative Research Center SFB TRR259 (2002-2012)

2012

Rudolph TK, Wipper S, Reiter B, Rudolph V, Coym A, Detter C, Lau D, Klinke A, Friedrichs K, Rau T, Pekarova M, Russ D, Knoll K, Kolk M, Schroeder B, Wegscheider K, Andresen H, Schwedhelm E, Boeger R, Ehmke H, **Baldus S.** Myeloperoxidase deficiency preserves vasomotor function in humans. Eur Heart J. 2012.

G. Sengle, K. Tsutsui, D.R. Keene, S.F. Tufa, E.J. Carlson, N.L. Charbonneau, R.N. Ono, T. Sasaki, M.K. Wirtz, J.R. Samples, L.I. Fessler, J.H. Fessler, K. Sekiguchi, S.J. Hayflick, L.Y. Sakai. Microenvironmental regulation by fibrillin-1. PLoS Genet. 2012, 8(1):e1002425.

2011

Klinke A, Nussbaum C, Kubala L, Friedrichs K, Rudolph TK, Rudolph V, Paust H-JH-J, Schroder C, Benten D, Lau D, Szocs K, Furtmuller PG, Heeringa P, Sydow K, Duchstein H-JH-J, Ehmke H, Schumacher U, Meinertz T, Sperandio M, Baldus S, Schröder C, Benten D, Lau D, Szocs K, Furtmüller PG, Heeringa P, Sydow K, Duchstein H-JH-J, Ehmke H, Schumacher U, Meinertz T, Sperandio M, **Baldus S.** Myeloperoxidase attracts neutrophils by physical forces. Blood. 2011, 117(4):1350-1358.

Welz, P. S., A. Wullaert, K. Vlantis, V. Kondylis, V. Fernandez-Majada, M. Ermolaeva, P. Kirsch, A. Sterner-Kock, G. van Loo and **M. Pasparakis**. FADD prevents RIP3-mediated epithelial cell necrosis and chronic intestinal inflammation. Nature. 2011, 477(7364):330-334.

Ten Freyhaus H, Dagnell M, Leuchs M, Vantler M, Berghausen EM, Caglayan E, Weissmann N, Dahal BK, Schermuly RT, Ostman A, Kappert K, **Rosenkranz S.** Hypoxia enhances platelet-derived growth factor signaling in the pulmonary vasculature by down-regulation of protein tyrosine phosphatases. Am J Respir Crit Care Med 2011; 183: 1092-1102.

Caglayan E, Vantler M, Leppanen O, Gerhardt F, Mustafov L, Ten Freyhaus H, Kappert K, Odenthal M, Zimmermann WH, Tallquist MD, **Rosenkranz S.** Disruption of platelet-derived growth factor-dependent phosphatidylinositol 3-kinase and phospholipase Cy1 activity abolishes vascular smooth muscle cell proliferation and migration and attenuates neointima formation in vivo. J Am Coll Cardiol 2011; 57: 2527-2538.

G. Sengle, R.N. Ono, T. Sasaki, L.Y. Sakai. Prodomains of transforming growth factor beta (TGF β) superfamily members specify different functions: extracellular matrix interactions and growth factor bioavailability. J. Biol. Chem. 2011, 286:5087-5099.

2010

Rudolph V, Andrié RP, Rudolph TK, Friedrichs K, Klinke A, Hirsch-Hoffmann B, Schwoerer AP, Lau D, Fu X, Klingel K, Sydow K, Didié M, Seniuk A, von Leitner EC, Szoeics K, Schrickel JW, Treede H, Wenzel U, Lewalter T, Nickenig G, Zimmermann WH, Meinertz T, Böger RH, Reichenspurner H, Freeman BA, Eschenhagen T, Ehmke H, Hazen SL, Willems S, **Baldus S.** Myeloperoxidase acts as a profibrotic mediator of atrial fibrillation. Nat Med. 2010, 16(4):470-4.

Vantler M*, Karikkineth BC*, Naito H*, Tiburcy M, Didié M, Nose M, **Rosenkranz S#**, Zimmermann WH#. PDGF-BB protects cardiomyocytes from apoptosis and improves contractile function of engineered heart tissue. J Mol Cell Cardiol 2010; 48: 1316-1323. (*, #: contributed equally)

2006

Ten Freyhaus H, Huntgeburth M, Wingler K, Schnitker J, Baumer AT, Vantler M, Bekhite MM, Wartenberg M, Sauer H, **Rosenkranz S.** Novel nox inhibitor VAS2870 attenuates PDGF-dependent smooth muscle cell chemotaxis, but not proliferation. *Cardiovasc Res* 2006; 71: 331-341.

2005

Vantler M, Caglayan E, Zimmermann WH, Baumer AT, **Rosenkranz S.** Systematic evaluation of anti-apoptotic growth factor signaling in vascular smooth muscle cells. Only phosphatidylinositol 3'-kinase is important. *J Biol Chem* 2005; 280: 14168-14176.

2002

Eiserich JP*, **Baldus S***, Brennan M-L, Ma W, Zhang C, Tousson A, Castro L, Lusis AJ, Nauseef WM, White CR, Freeman BA. Myeloperoxidase, a leukocyte-derived vascular NO oxidase. *Science*. 2002, 296(5577):2391-2394. *authors contributed equally.